Dino-Lite Europe - Phone: - Email:

AM4917MZT4



Marca:

Código del producto: AM4917MZT4

Short Description

1.3 Megapixels
Extended Depth of Field (EDOF)
Extended Dynamic Range (EDR)
Automatic Magnification Reading (AMR)
Enhanced Flexible LED Control (eFLC)

Descripción

As magnification increases, targets with uneven surfaces are often out of focus due to the limited depth of field. AM4917MZT4 400x digital microscope eases focusing with its click-to-focus functionality and can generate focused-stacked images with EDOF. Delivering superior images, equipped with a polarizer, and featuring EDOF, DPQ, AMR, and EDR, AM4917MZT4 is a quality imaging tool ready for a wide range of applications.

Note: EDOF, EDR, and DPQ are available on Windows PC only.

















The main features of the AM4917MT8 are:

- 1.3 Megapixels
- Extended Depth of Field (EDOF)
- Extended Dynamic Range (EDR)
- Automatic Magnification Reading (AMR)
- Enhanced Flexible LED Control (eFLC)
- Integrated polarizer (anti-reflection)
- 400x-470x magnification
- And more...

(*EDOF/EDR only functions under Windows OS)

Optical Data Table

MAGNIFICATI WORKING			FIELD OF	FIELD OF	DEPTH OF
ON R	ATE	DISTANCE *	VIEW(X)	VIEW(Y)	FIELD
400		5.68	0.977	0.732	0.041
410		6.63	0.953	0.715	0.040
420		7.59	0.93	0.698	0.039
430		8.55	0.909	0.681	0.038
440		9.51	0.888	0.666	0.038
450		9.62	0.868	0.651	0.037
460		9.56	0.849	0.637	0.036
470		9.50	0.831	0.623	0.036
I isted volves may differ slightly			* Without from	4	Ilnit - mm

Listed values may differ slightly * Without front

Unit = mm

cap

Especificación

Lighting	
Light/ LED type	White
Number of LEDs	8

Optics					
Magnification	$400x \sim 470x$				
Sensor					
Sensor type	CMOS				
Resolution	1.3 Megapixel (1280x960)				
Maximum frame rate	30 fps in 1.3 MP, MJPEG 30 fps in VGA, MJPEG				
Compatibility					
Interface	USB 2.0				
Operating system	Windows 7, 8, 10 & 11, MacOS 10.12 and up				
Software	DinoCapture 2.0 (Windows), DinoXcope (Mac				
	OS)				
Supported image formats	BMP, GIF, PNG, MNG, TIF, TGA, PCX, WBMP,				
(Windows)	JP2, JPC, JPG, PGX, RAS, PNM				
Supported video formats	WMV, FLV, SWF				
(Windows)					
Supported image formats	PNG, JPEG				
(MacOS)					
Supported video formats	MOV				
(MacOS)					
Housing					
Housing material	Metal housing				
Dimensions	10.7 cm (H) x 3.3 cm (D)				
Weight	130 g				
Features					
Measurement	Yes				
Calibration	Yes				
Microtouch sensor	Yes				
Information					
Warranty information	2 years European warranty				
Regulatory approval	CE, FCC, ROHS				
Price range	€1200,00 - €1400,00				